

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

www.brennenstuhl.nt-rt.ru | | bhc@nt-rt.ru

Технические характеристики на адаптерные вилки, адаптерные вилки с защитой от перенапряжения компании **BRENNENSTUHL**



Primera-Line 13.500 A Überspannungsschutzadapter

- Leistungsfähiger Überspannungsschutz aus Gasableiter und Metalloxidvaristoren mit thermischer Absicherung.
- Schützt elektrische Geräte vor Überspannungen im Stromnetz mit einem max. Ableitstrom bis zu 13.500 A.
- Schützt Phase, Neutral- und Schutzleiter.
- Kontroll-Leuchte für die 230 V-Schutzfunktion.
- Belastbar bis 16 A/3680 W.
- Steckdose mit erhöhtem Berührungsschutz.

Primera-Line 13.500 A Surge Protected Adapter

- Efficient surge protection made from gas discharge tube and metal oxide varistors with thermal fuse.
- Protects electrical appliances against surges with a max. up to 13.500 A.
- Protects phase, neutral- and the protective earth.
- Indicator for the protective function.
- Max. loading of 16 A/3680 W.
- Socket with protection against contact.



TECHNISCHE DATEN / TECHNICAL DATA

Artikelnummer / Product number	1506950
EAN / EAN	4007123191482
VPE / UP	2
Mit Überspannungsschutz / With surge protection	✓
Max. Strombelastbarkeit / Max. current carrying capacity	16 A
Schutzart (IP) / Degree of protection (IP)	IP20
Farbe / Colour	silber / silver



Überspannungsschutzadapter 13.500 A

- Leistungsfähiger Überspannungsschutz aus Gasableiter und Metalloxidvaristoren mit thermischer Absicherung.
- Schützt elektrische Geräte vor Überspannungen im Stromnetz mit einem max. Ableitstrom bis zu 13.500 A.
- Schützt Phase, Neutral- und Schutzleiter.
- Kontroll-Leuchte für die 230 V-Schutzfunktion.
- Belastbar bis 16 A/3500 W.
- Steckdose mit erhöhtem Berührungsschutz.

Voltage Surge Protective Adapter 13.500 A

- Efficient surge protection made from gas discharge tube and metal oxide varistors with thermal fuse.
- Protects electrical appliances against surges with a max. up to 13.500 A.
- Protects phase, neutral- and the protective earth.
- Indicator for the protective function.
- Max. loading of 16 A/3500 W.
- Socket with protection against contact.



TECHNISCHE DATEN / TECHNICAL DATA

Artikelnummer / Product number	1506996
EAN / EAN	4007123652853
VPE / UP	2
Mit Überspannungsschutz / With surge protection	✓
Max. Strombelastbarkeit / Max. current carrying capacity	16 A
Schutzart (IP) / Degree of protection (IP)	IP20
Farbe / Colour	anthrazit / anthracite



ADAPTER / ADAPTER PLUGS

Adapterstecker / Adapter Plugs



Eco-Line Comfort Switch Adapter EL CSA 1

Adapter mit komfortablem, externem Fußschalter.

- Robuster Fußschalter mit 1,5 m flexibler Steuerleitung.
- Praktische Schaltzustandsanzeige am externen Schalter.
- Schaltbare Steckdose mit erhöhtem Berührungsschutz, max. 3500 W.

Eco-Line Comfort Switch Adapter EL CSA 1

Adapter with comfortable, external foot switch.

- Robust hand/foot switch with flexible 1.5 m cable.
- Convenient switching state indicator on the external switch.
- Switchable sockets with protection against contact, max. 3500 W.

TECHNISCHE DATEN / TECHNICAL DATA

Artikelnummer / Product number	1508220
EAN / EAN	4007123636327
VPE / UP	2
Max. Strombelastbarkeit / Max. current carrying capacity	16 A
Schutzart (IP) / Degree of protection (IP)	IP20
Farbe / Colour	weiß / white



Steckdosenadapter EDS 10 IP 44

mit Ein/Aus Schalter für den Außenbereich

- Energie sparend und sicher.
- Für Geräte ohne eigenen Schalter.

Adapter EDS 10 IP 44

with ON/OFF switch for outdoor use

- Energy-saving and safe.
- For devices without a dedicated switch.



TECHNISCHE DATEN / TECHNICAL DATA

Artikelnummer / Product number	1508280001
EAN / EAN	4007123668199
VPE / UP	10
Mit Ein-/Ausschalter / With on/off switch	✓
Max. Strombelastbarkeit / Max. current carrying capacity	16 A
Schutzart (IP) / Degree of protection (IP)	IP44
Farbe / Colour	schwarz / black



Adapterstecker Schutzkontakt mit Schalter

- Auf 1 Schutzkontakt-Steckdose.
- Mit Ein/Aus Schalter.
- Steckdose mit erhöhtem Berührungsschutz.

Adapter With ON/OFF Switch

- With 1 earthed socket outlet.
- With ON/OFF switch.
- Socket with protection against contact.

TECHNISCHE DATEN / TECHNICAL DATA

Artikelnummer / Product number	1508070	1508070001
EAN / EAN	4007123117314	4007123171675
VPE / UP	25	120
Mit Ein-/Ausschalter / With on/off switch	✓	✓
Schutzart (IP) / Degree of protection (IP)	IP20	IP20
Farbe / Colour	weiß / white	weiß / white



Adapterstecker Euro 2 + Schutzkontakt 1

- Auf 1 Schutzkontakt-Steckdose + 2 Euro-Steckdosen.
- Steckdosen mit erhöhtem Berührungsschutz.

Adapter With 2 + 1 Sockets

- Plug with 1 earthed socket + 2 Euro sockets.
- Sockets with protection against contact.



Adapterstecker Euro

- Auf Euro-Steckdosen.
- Steckdosen mit erhöhtem Berührungsschutz.

Adapter With Euro Sockets

- Plug with Euro sockets.
- Sockets with protection against contact.

TECHNISCHE DATEN / TECHNICAL DATA

Artikelnummer / Product number	1508100	1508050
EAN / EAN	4007123248186	4007123115822
VPE / UP	10	25
Mit Ein-/Ausschalter / With on/off switch	✓	–
Schutzart (IP) / Degree of protection (IP)	IP20	IP20
Farbe / Colour	weiß / white	weiß / white

TECHNISCHE DATEN / TECHNICAL DATA

Artikelnummer / Product number	1508040	1508030
EAN / EAN	4007123115808	4007123115785
VPE / UP	25	25
Euro-Steckdosen / Euro outlets	4	2
Schutzart (IP) / Degree of protection (IP)	IP20	IP20
Farbe / Colour	weiß / white	weiß / white

Socket adapter with USB Power Delivery for fast charging (1x Charger Type C, 1x USB A, with switch)



Номер артикула
1508210

Европейский товарный код
4007123672288

- USB plug has an earthed socket with USB Power Delivery - Power Delivery is a technology for fast charging of smartphones and tablets
- Safe charging at high speed - Power Delivery is a technology that enables devices from all manufacturers to be charged safely within a short time
- The USB plug and power delivery socket allow mobile connection devices such as smartphones, tablets, etc. to be charged without the need for a charging adapter

Описание

The extremely compact and space-saving socket adapter with USB-A charging socket (with max. 18W) and intelligent Power Delivery charging socket (with max. 18W) allows you to charge and operate several connection devices simultaneously. For example, connect office and household devices and charge your mobile devices at the same time. The innovative Power Delivery function stands for a fast charging function in which the source, receiver and cable communicate with each other to determine the maximum electrical power. The socket adapter with USB is a clever and above all space-saving everyday helper at home, but also ideal when travelling. It also impresses with the following features:

- Intelligent Power Delivery charging socket with max. 18W
- USB-A charging socket with max. 18W
- Protective socket with increased protection against accidental contact
- Loadable up to 16A/3680W

Технические данные

- **Height:** 10 cm
- **Length:** 7,50 cm
- **Weight:** 0,11 kg
- **Area of use:** Indoor

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

www.brennenstuhl.nt-rt.ru | | bhc@nt-rt.ru